

**PATENT****Amendments to the Claims:**

The listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:****1. (Previously Presented) A pair of eyeglasses, comprising:**

a frame having a pair of arms and a pair of lense holders, one or both of said arms having an internal area;

wireless communication circuitry provided within the internal area of one or both of said arms;

at least one speaker coupled to said wireless communication circuitry, at least a portion of said speaker being provided within the internal area of at least one of said two arms;

at least one microphone coupled to said wireless communication circuitry, wherein said at least a portion of one microphone being embedded in said frame;

at least one battery for powering at least said wireless communication circuitry; and

a balancing weight provided within the internal area of at least one of said arms,

wherein said at least one battery is provided within the internal area of at least one of said arms,

wherein said at least one battery is provided internal to a first of said arms, and wherein said balancing weight is provided internal to a second of said arms so that the two arms are of substantially the same weight, and

wherein said at least one battery is rechargeable.

**PATENT**

2. (Previously presented) A pair of eyeglasses as recited in claim 1, wherein said at least one speaker does not protrude significantly outward from the at least one of said two arms.
3. (Previously presented) A pair of eyeglasses as recited in claim 1, wherein said at least one speaker couples or attaches to said arm instead of coupling or attached to a separate element that is attached or coupled to said arm.
4. (Previously presented) A pair of eyeglasses as recited in claim 1, wherein said at least one speaker is provided completely within the internal area of at least one of said two arms.
5. (Previously presented) A pair of eyeglasses as recited in claim 1, wherein said at least one speaker is not visible when provided within the internal area of at least one of said two arms.
6. (Previously presented) A pair of eyeglasses as recited in claim 1, wherein said at least one speaker is internal to the rear portion of said arm, and wherein the rear portion of said arm does not include any visually perceptible openings for said at least one speaker.
7. (Previously presented) A pair of eyeglasses as recited in claim 1, wherein said at least one speaker is internal to the rear portion of said arm, and wherein the rear portion of said arm does not include any visually perceptible openings for said at least one speaker.

**PATENT**

8. (Previously presented) A pair of eyeglasses as recited in claim 1, wherein said eyeglasses further comprise:

a power adapter connector to facilitate charging said at least one rechargeable battery.

9. (Previously presented) A pair of eyeglasses as recited in claim 1, wherein said eyeglasses further comprise:

at least one operation indicator.

10. (Currently Amended) A pair of eyeglasses as recited in claim 9 ~~claim 7~~, wherein said at least one operation indicator is coupled to said frame or at least partially internal to said frame.

11. (Previously presented) A pair of eyeglasses as recited in claim 9, wherein said at least one operation indicator is a light source, and light produced by said light source is dependent on whether or how said wireless communication circuitry is operating.

12. (Previously presented) A pair of eyeglasses as recited in claim 9, wherein an indication produced by said at least one operation indicator indicates that the wireless communication circuitry is in use.

13. (Previously presented) A pair of eyeglasses as recited in claim 1, wherein said eyeglasses further comprises a position sensor.

**PATENT**

14. (Previously presented) A pair of eyeglasses as recited in claim 13, wherein said position sensor is provided within the internal area of at least one of said arms.

15. (Previously presented) A pair of eyeglasses, comprising:

at a frame having a pair of arms and a pair of lense holders, one or both of said arms having an internal area;

wireless communication circuitry provided within the internal area of one or both of said arms;

at least one speaker coupled to said wireless communication circuitry;

at least one microphone coupled to said wireless communication circuitry;

at least one operation indicator configured to indicate an operation of the wireless communication circuitry; and

at least one re-chargeable battery for powering at least said wireless communication circuitry and said operation indicator,

wherein said at least one battery is provided within the internal area of at least one of said arms.

16. (Previously presented) A pair of eyeglasses as recited in claim 15, wherein said at least one operation indicator is coupled to said frame or at least partially internal to said frame.

17. (Previously presented) A pair of eyeglasses as recited in claim 15, wherein said at least one operation indicator is a light source, and light produced by said

**PATENT**

light source is dependent on whether or how said wireless communication circuitry is operating.

18. (Previously presented) A pair of eyeglasses as recited in claim 15, wherein an indication produced by said at least one operation indicator indicates that the wireless communication circuitry is in use.

19. (Previously presented) A pair of eyeglasses as recited in claim 15, wherein said eyeglasses further comprises a position sensor.

20. (Previously presented) A pair of eyeglasses as recited in claim 19, wherein said position sensor is provided within the internal area of at least one of said arms.